

# Scheduling

---

Organising work to be done

Computadores II / 2004

# Goal

---

- To understand the role that **scheduling** and **schedulability analysis** plays in predicting that real-time applications meet their deadlines

# Topics

---

- Simple process model
- The cyclic executive approach
- Process-based scheduling
- Utilization-based schedulability tests
- Response time analysis for FPS and EDF
- Worst-case execution time

# More Topics

---

- Sporadic and aperiodic processes
- Process systems with  $D < T$
- Process interactions, blocking and priority ceiling protocols
- An extendible process model
- Dynamic systems and on-line analysis
- Programming priority-based systems

# Context for Scheduling

---

- A multitask application that must share resources (CPU in particular)
- Need of specifying the order in which the tasks are going to take control of the resource (be executed in the case of the CPU)
- How to do it? Using a **Scheduling Scheme**

# Scheduling

---

- In general, a **scheduling scheme** provides two features:
  - An **algorithm for ordering** the use of system resources
    - Typically the CPU
  - A means of **predicting the worst-case behaviour** of the system when the scheduling algorithm is applied
    - Typically the longest execution time
- The prediction can then be used to confirm the temporal requirements of the application

# Simple Process Model

---

1. The application consists of a fixed set of processes
2. All processes are periodic, with known periods
3. The processes are completely independent of each other
4. All system's overheads, context-switching times and so on are ignored (i.e, assumed to have zero cost)
5. All processes have a deadline equal to their period (that is, each process must complete before it is next released)
6. All processes have a fixed worst-case execution time


# Standard Notation

---

B	Worst-case blocking time for the process
C	Worst-case execution time (WCET) of the process
D	Deadline of the process
I	The interference time of the process
J	Release jitter of the process
N	Number of processes in the system
P	Priority assigned to the process
R	Worst-case response time of the process
T	Minimum time between process releases (period)
U	The CPU utilization of each process (equal to $C/T$ )
a - z	The names of the processes



# Standard Notation



# Cyclic Executives

---

The simple way

Computadores II / 2004

# Cyclic Executives

---

- One common way of implementing hard real-time systems is to use a **cyclic executive**
- Here the design is concurrent but the code is produced as a collection of sequential procedures (i.e. no real concurrence)
- Procedures are mapped onto a set of **minor** cycles that constitute the complete schedule (or **major** cycle)
- Minor cycle dictates the minimum cycle time
- Major cycle dictates the maximum cycle time
- Has the advantage of being fully deterministic

# Consider this Process Set

---

Process	T	C
a	25	10
b	25	8
c	50	5
d	50	4
e	100	2

# Cyclic Executive

---

**loop**

wait\_for\_interrupt;

procedure\_a; procedure\_b; procedure\_c;

wait\_for\_interrupt;

procedure\_a; procedure\_b; procedure\_d; procedure\_e;

wait\_for\_interrupt;

procedure\_a; procedure\_b; procedure\_c;


wait\_for\_interrupt;

procedure\_a; procedure\_b; procedure\_d;

**end loop;**

# Time-line for Process Set

Process	T	C
a	25	10
b	25	8
c	50	5
d	50	4
e	100	2



# Sample Cyclic Executive

---

**loop**

```
wait_for_interrupt;  
read_sensor; filter_sensor; actuator;  
wait_for_interrupt;  
read_sensor; filter_sensor; display; readkeyboard;  
wait_for_interrupt;  
read_sensor; filter_sensor; actuator;  
wait_for_interrupt;  
read_sensor; filter_sensor; display;
```

**end loop;**

# Properties

---

- No actual processes exist at run-time; each minor cycle is just a sequence of procedure calls
- The procedures share a common address space and can thus pass data between themselves. This data does not need to be protected (using a monitor, for example) because concurrent access is not possible
- All “process” periods must be a multiple of the minor cycle time



# Problems with Cycle Executives

---

- Difficulty of incorporating processes with long periods; the major cycle time is the maximum period that can be accommodated without secondary schedules
- Sporadic activities are difficult (impossible?) to incorporate
- The cyclic executive is difficult to construct and difficult to maintain — it is a NP-hard problem
- Any “process” with a sizable computation time will need to be split into a fixed number of fixed sized procedures (this may cut across the structure of the code from a software engineering perspective, and hence may be error-prone)
- More flexible scheduling methods are difficult to support

# Process-Based Scheduling

---

Using real processes to organise work

# Process-Based Scheduling

---

- Processes (threads or tasks) are the schedulable entities
- There are many scheduling schemes with varying properties
- Three main scheduling approaches
  - Fixed-Priority Scheduling (FPS)
  - Earliest Deadline First (EDF)
  - Value-Based Scheduling (VBS)

# Fixed-Priority Scheduling (FPS)

---

- This is the most widely used approach and is the main focus of this lesson
- Each process has a fixed, **static**, priority which is computed pre-run-time (at design time)
- The runnable processes are executed in the order determined by their priority
- **In real-time systems, the “priority” of a process is derived from its temporal requirements, not its importance to the correct functioning of the system or its integrity**

# Earliest Deadline First (EDF)

---

- The runnable processes are executed in the order determined by the absolute deadlines of the processes
- The next process to run being the one with the shortest (nearest) deadline
- Although it is usual to know the relative deadlines of each process (e.g. 25ms after release), the absolute deadlines are computed at run time and hence the scheme is described as **dynamic**

# Value-Based Scheduling (VBS)

---

- If a system can become overloaded then the use of simple static priorities or deadlines is not sufficient; a more **adaptive** scheme is needed
- This often takes the form of assigning additional **values** to each process and employing an on-line **value-based scheduling algorithm** to decide which process to run next


# Preemption and Non-preemption

---

- With priority-based scheduling, a high-priority process may be released during the execution of a lower priority one
- Two different alternatives:
  - In a **preemptive** scheme, there will be an immediate switch to the higher-priority process
  - In a **non-preemptive** scheme, the lower-priority process will be allowed to complete before the other executes

# Preemption and Non-preemption

Process





# Preemption and Non-preemption

---

- Preemptive schemes enable higher-priority processes to be more reactive, and hence they are preferred
- Alternative strategies allow a lower priority process to continue to execute for a bounded time
- These schemes are known as **deferred preemption** or **cooperative dispatching**
- Other scheduling policies such as EDF and VBS can also take on a pre-emptive or non pre-emptive form

# FPS and Rate Monotonic Priority

---

- Each process is assigned a (unique) priority based on its period; the shorter the period, the higher the priority
- *i.e.*, for two processes  $i$  and  $j$ ,

$$T_i < T_j \Rightarrow P_i > P_j$$

- This assignment **is optimal** in the sense that if any process set can be scheduled using pre-emptive fixed-priority assignment scheme, then the given process set can also be scheduled with a rate monotonic assignment scheme
- Note, priority 1 is the lowest (least) priority

# Example Priority Assignment

---

Process		Period, T		Priority, P
a	<i>Minimum Period</i>	25	<i>Maximum Priority</i>	5
b		60		3
c		42		4
d		105		1
e		75		2

# Schedulability Analysis

---

Determining whether a set of tasks can be properly executed

# Schedulability Analysis

---

- The analytical problem of determining the schedulability of a set of tasks
- Multiple methods for multiple models of task sets
- We're going to comment two:
  - Utilisation-based analysis
  - Response-Time Analysis
- **Utilisation-based analysis:** simpler but approximate
- **Response-Time Analysis:** better but complex

# Utilisation-Based Analysis

- For  $D = T$  task sets only (Deadline = Period)
- A simple **sufficient but not necessary** schedulability test exists

$$U \equiv \sum_{i=1}^N \frac{C_i}{T_i} \leq N(2^{1/N} - 1)$$

$$U \leq 0.693 \text{ as } N \rightarrow \infty$$

**Approaches 69.3% asymptotically**

<b>N</b>	<b>Max U</b>
1	100.0%
2	82.8%
3	78.0%
4	75.7%
5	74.3%
10	71.8%

# Process Set A


---

Process	Period T	ComputationTime C	Priority P	Utilization U
a	50	12	1	0.24
b	40	10	2	0.25
c	30	10	3	0.33

- The combined utilization is 0.82 (or 82%)
- This is above the threshold for three processes (0.78) and, hence, this process set fails the utilization test

# Time-line for Process Set A


Process





# Gantt Chart for Process Set A

---



# Process Set B

---

Process	Period T	ComputationTime C	Priority P	Utilization U
a	80	32	1	0.400
b	40	5	2	0.125
c	16	4	3	0.250

- The combined utilization is 0.775
- This is below the threshold for three processes (0.78) and, hence, this process set will meet all its deadlines

# Process Set C

---


Process	Period T	ComputationTime C	Priority P	Utilization U
a	80	40	1	0.50
b	40	10	2	0.25
c	20	5	3	0.25

- The combined utilization is 1.0
- This is above the threshold for three processes (0.78)  
but the process set will meet all its deadlines

*Remember that the utilisation criteria is sufficient but not necessary*

# Time-line for Process Set C

Process



# Utilisation-based Tests

---

- Not exact
- Not general
- But it is  $O(N)$

The test is said to be **sufficient** but not **necessary**

# Utilization-based Test for EDF

---

- There is also an utilisation test for EDF

$$\sum_{i=1}^N \frac{C_i}{T_i} \leq 1$$

- This is a simpler test
- EDF is superior to FPS because it can support higher utilizations.

# However, FPS is preferred

---

- FPS is easier to implement as priorities are static
- EDF is dynamic and requires a more complex run-time system which will have higher overhead
- It is easier to incorporate processes without deadlines into FPS (just giving a priority); giving a process an arbitrary deadline is more artificial
- It is easier to incorporate other factors into the notion of priority than it is into the notion of deadline
- During overload situations
  - FPS is more predictable; Low priority process miss their deadlines first
  - EDF is unpredictable; a domino effect can occur in which a large number of processes miss deadlines

# Response-Time Analysis

---

Analising the temporal details of the schedule



# Response-Time Analysis

---

- Here task worst-case response time,  $R_i$ , is calculated first and then checked (trivially) with its deadline


$$R_i \leq D_i$$

- $R_i$  is calculated using the computing time  $C$  and the interference  $I$  from higher priority tasks

$$R_i = C_i + I_i$$

# Interference

Process



# Calculating $R_i$

During  $R_i$ , each higher priority task  $j$  will execute a number of times:

$$\text{Number of Releases} = \left\lceil \frac{R_i}{T_j} \right\rceil$$

The ceiling function  $\lceil \cdot \rceil$  gives the smallest integer greater than the fractional number on which it acts. So the ceiling of  $1/3$  is 1, of  $6/5$  is 2, and of  $6/3$  is 2.

Total interference is given by:

$$\left\lceil \frac{R_i}{T_j} \right\rceil C_j$$

# Response Time Equation

- Hence, the response time of task  $i$  is given by:

$$R_i = C_i + \sum_{j \in hp(i)} \left\lceil \frac{R_i}{T_j} \right\rceil C_j$$

- Where  $hp(i)$  is the set of tasks with priority higher than task  $i$

# Solving the Equation

- We can solve it using a recurrence formula:

$$w_i^{n+1} = C_i + \sum_{j \in hp(i)} \left[ \frac{w_i^n}{T_j} \right] C_j$$

- The set of values  $w_i^0, w_i^1, w_i^2, \dots, w_i^n, \dots$  is monotonically non decreasing
- When  $w_i^n = w_i^{n+1}$  the solution to the equation has been found
- $w_i^0$  must not be greater than  $R_i$  (e.g. 0 or  $C_i$ )

# Response Time Algorithm

---

```
for i in 1..N loop -- for each process
  n := 0
   $w_i^n := C_i$ 
loop
  calculate new  $w_i^{n+1}$ 
  if  $w_i^{n+1} = w_i^n$  then
     $R_i = w_i^n$ 
    exit value found
  end if
  if  $w_i^{n+1} > T_i$  then
    exit value not found
  end if
  n := n + 1
end loop
end loop
```

# Process Set D

---

Process	Period T	ComputationTime C	Priority P
a	7	3	3
b	12	3	2
c	20	5	1

$$R_a = 3$$

$$w_b^0 = 3$$

$$w_b^1 = 3 + \left\lceil \frac{3}{7} \right\rceil 3 = 6$$

$$w_b^2 = 3 + \left\lceil \frac{6}{7} \right\rceil 3 = 6$$

$$R_b = 6$$

# Calculating process c

---

$$w_c^0 = 5$$

$$w_c^1 = 5 + \left\lfloor \frac{5}{7} \right\rfloor 3 + \left\lfloor \frac{5}{12} \right\rfloor 3 = 11$$

$$w_c^2 = 5 + \left\lfloor \frac{11}{7} \right\rfloor 3 + \left\lfloor \frac{11}{12} \right\rfloor 3 = 14$$

$$w_c^3 = 5 + \left\lfloor \frac{14}{7} \right\rfloor 3 + \left\lfloor \frac{14}{12} \right\rfloor 3 = 17$$

$$w_c^4 = 5 + \left\lfloor \frac{17}{7} \right\rfloor 3 + \left\lfloor \frac{17}{12} \right\rfloor 3 = 20$$

$$w_c^5 = 5 + \left\lfloor \frac{20}{7} \right\rfloor 3 + \left\lfloor \frac{20}{12} \right\rfloor 3 = 20$$

$$R_c = 20$$



# Revisit: Process Set C

---

Process	Period T	ComputationTime C	Priority P	Response time R
a	80	40	1	80
b	40	10	2	15
c	20	5	3	5

- The combined utilization is 1.0
- This was above the utilisation threshold for three processes (0.78), therefore it failed the utilisation test
- The response time analysis shows that the process set will meet all its deadlines

# Response Time Analysis

---

- Is **sufficient and necessary**
- If the process set passes the test they will meet all their deadlines;
- If the process set fail the test then, at run-time, a process will miss its deadline (unless the computation time estimations themselves turn out to be pessimistic)

# WCET

---

Computing the Worst Case Execution Time

Computadores II / 2004

# Worst-Case Execution Time

---

- Worst-Case Execution Time = WCET
- Obtained by either measurement or analysis of a single process
- Measurement = real process
- Analysis = theoretical calculation
  
- The problem with measurement is that it is difficult to be sure when the worst case has been observed
- The drawback of analysis is that an effective model of the processor (including caches, pipelines, memory wait states and so on) must be available

# WCET— Finding C

---

Most analysis techniques involve two distinct activities.

- The first takes the process and decomposes its code into a directed graph of basic blocks
- These basic blocks represent straight-line code.
- The second component of the analysis takes the machine code corresponding to a basic block and uses the processor model to estimate its worst-case execution time
- Once the times for all the basic blocks are known, the directed graph can be collapsed

# Need for Semantic Information

---

```
for I in 1.. 10 loop  
  if Cond then  
    -- basic block of cost 100  
  else  
    -- basic block of cost 10  
  end if;  
end loop;
```

- Simple cost  $10 \cdot 100$  (+overhead), say 1005.
- But if `Cond` only true on 3 occasions then cost is 375

# Sporadic and Aperiodic Processes

---

Handling processes with an irregular life

# Sporadic Processes

---

- Sporadic processes have a minimum inter-arrival time
- $T$  is not the period but the minimum (or average)
- They usually also require  $D < T$
  
- The response time algorithm for fixed priority scheduling works perfectly for values of  $D$  less than  $T$
- It also works perfectly well with any priority ordering



# Hard and Soft Processes

---

- In many situations the worst-case figures for sporadic processes are considerably higher than the averages
- Interrupts often arrive in bursts and an abnormal sensor reading may lead to significant additional computation
- Measuring schedulability with worst-case figures may lead to very low processor utilizations being observed in the actual running system

# General Guidelines

---

**Rule 1** — all processes should be schedulable using average execution times and average arrival rates

**Rule 2** — all hard real-time processes should be schedulable using worst-case execution times and worst-case arrival rates of all processes (including soft)

- A consequent of Rule 1 is that there may be situations in which it is not possible to meet all current deadlines
- This condition is known as a **transient overload**
- Rule 2 ensures that no hard real-time process will miss its deadline
- If Rule 2 gives rise to unacceptably low utilizations for “normal execution” then action must be taken to reduce the worst-case execution times (or arrival rates)

# Aperiodic Processes

---

- These do not have minimum inter-arrival times
- Can run aperiodic processes at a priority below the priorities assigned to hard processes, therefore, they cannot steal, in a pre-emptive system, resources from the hard processes
- This does not provide adequate support to soft processes which will often miss their deadlines
- To improve the situation for soft processes, a **server** can be employed.
- Servers protect the processing resources needed by hard processes but otherwise allow soft processes to run as soon as possible.

# Servers

---

- Many types of servers:
  - DS: Deferrable Server
  - SS: Sporadic Server
- POSIX supports Sporadic Servers

# Process systems with $D < T$

---

# Process Sets with $D < T$

---

- For  $D = T$ , Rate Monotonic priority ordering is optimal
- For  $D < T$ , Deadline Monotonic priority ordering is optimal

$$D_i < D_j \Rightarrow P_i > P_j$$

- Deadline monotonic priority ordering (DMPO) is optimal in the sense that **any process set  $\mathcal{Q}$ , that is schedulable by any priority scheme  $\bar{w}$ , is also schedulable by DMPO**

# D < T Example Process Set

---

Process	Period T	Deadline D	ComputationTime C	Priority P	Response time R
a	20	5	3	4	3
b	15	7	3	3	6
c	10	10	4	2	10
d	20	20	3	1	20

# Process interactions, blocking and priority ceiling protocols

---

Complex behavior due to priority-based  
scheduling



# Process Interactions

---

- If a process is suspended waiting for a lower-priority process to complete some required computation then the priority model is, in some sense, being undermined
- This happens when the lower priority process cannot free a resource needed by the higher priority process because of being displaced from execution by the high priority process
- It is said to suffer **priority inversion**
- If a process is waiting for a lower-priority process, it is said to be **blocked**


# Priority Inversion

- To illustrate an extreme example of priority inversion, consider the executions of four periodic processes: a, b, c and d; and two resources: Q and V

Process	Priority	Execution Sequence	Release Time
a	1	EQQQQE	0
b	2	EE	2
c	3	EVVE	2
d	4	EEQVE	4

# Example of Priority Inversion

Process



Executing



Preempted



Executing with Q locked



Blocked



Executing with V locked



# Calculating Blocking

---

- If a process has  $m$  critical sections that can lead to it being blocked then the maximum number of times it can be blocked is  $m$
- If  $K$  is the number of critical sections (resources that can block), the process  $i$  has an upper bound on its blocking given by:

$$B_i = \sum_{k=1}^K usage(k,i)C(k)$$

- Usage value is 1/0 (1 if resource  $k$  is used by processes with priorities lower and greater/equal than  $P_i$ )

# Response Time and Blocking

- Response time with blocking and interference

$$R_i = C_i + B_i + I_i$$

- Expanding interference

$$R_i = C_i + B_i + \sum_{j \in hp(i)} \left\lceil \frac{R_i}{T_j} \right\rceil C_j$$

- Recurrence relation

$$w_i^{n+1} = C_i + B_i + \sum_{j \in hp(i)} \left\lceil \frac{w_i^n}{T_j} \right\rceil C_j$$

# Priority Ceiling Protocols

---

- Priority inheritance does not solve all problems related with blocking and leads to very pessimistic evaluations (due to transitive locking)
- Another alternative are **priority ceiling protocols**
- Two forms:
  - Original ceiling priority protocol
  - Immediate ceiling priority protocol

# On a Single Processor

---

- A high-priority process can be blocked at most once during its execution by lower-priority processes
- Deadlocks are prevented
- Transitive blocking is prevented
- Mutual exclusive access to resources is ensured (by the protocol itself)



# OCP

---

- Each process has a static default priority assigned (perhaps by the deadline monotonic scheme)
- Each resource has a static ceiling value defined, this is the maximum priority of the processes that use it
- A process has a dynamic priority that is the maximum of its own static priority and any it inherits due to it blocking higher-priority processes.
- A process can only lock a resource if its dynamic priority is higher than the ceiling of any currently locked resource (excluding any that it has already locked itself)

$$B_i = \max_{k=1}^k usage(k, i)C(k)$$



# ICPP

---

- Each process has a static default priority assigned (perhaps by the deadline monotonic scheme).
- Each resource has a static ceiling value defined, this is the maximum priority of the processes that use it.
- A process has a dynamic priority that is the maximum of its own static priority and the ceiling values of any resources it has locked
- As a consequence, a process will only suffer a block at the very beginning of its execution
- Once the process starts actually executing, all the resources it needs must be free; if they were not, then some process would have an equal or higher priority and the process's execution would be postponed



# OCPD versus ICPP

---

- Although the worst-case behaviour of the two ceiling schemes is identical (from a scheduling view point), there are some points of difference:
  - ICPP is easier to implement than the original (OCPD) as blocking relationships need not be monitored
  - ICPP leads to less context switches as blocking is prior to first execution
  - ICPP requires more priority movements as this happens with all resource usage
  - OCPD changes priority only if an actual block has occurred
- Note that ICPP is called Priority Protect Protocol in POSIX and Priority Ceiling Emulation in Real-Time Java

# An extendible process model

---

# An Extendible Process Model

---

So far:

- Deadlines can be less than period ( $D < T$ )
- Sporadic and aperiodic processes, as well as periodic processes, can be supported
- Process interactions are possible, with the resulting blocking being factored into the response time equations

# Extensions

---

- Cooperative Scheduling
- Release Jitter
- Arbitrary Deadlines
- Fault Tolerance
- Offsets
- Optimal Priority Assignment



# Cooperative Scheduling

---

- True preemptive behaviour is not always acceptable for safety-critical systems
- Cooperative or deferred preemption splits processes into slots
- Mutual exclusion is via non-preemption
- The use of deferred preemption has two important advantages
  - It increases the schedulability of the system, and it can lead to lower values of  $C$
  - With deferred preemption, no interference can occur during the last slot of execution.

# Cooperative Scheduling

- Let the execution time of the final block be  $F_i$


$$w_i^{n+1} = B_{MAX} + C_i - F_i + \sum_{j \in hp(i)} \left\lceil \frac{w_i^n}{T_j} \right\rceil C_j$$

- When this converges that is,  $w_i^n = w_i^{n+1}$ , the response time is given by:

$$R_i = w_i^n + F_i$$

# Release Jitter

- A key issue for distributed systems
- Consider the release of a sporadic process on a different processor by a periodic process,  $\perp$ , with a period of 20



# Release Jitter

- Sporadic is released at  $0, T-J, 2T-J, 3T-J$
- Examination of the derivation of the schedulability equation implies that process  $i$  will suffer
  - one interference from process  $s$  if  $R_i \in [0, T - J)$
  - two interferences if  $R_i \in [T - J, 2T - J)$
  - three interference if  $R_i \in [2T - J, 3T - J)$
- This can be represented in the response time equations

$$R_i = C_i + B_i + \sum_{j \in hp(i)} \left\lceil \frac{R_i + J_j}{T_j} \right\rceil C_j$$

- If response time is to be measured relative to the real release time then the jitter value must be added

$$R_i^{periodic} = R_i + J_i$$

# Arbitrary Deadlines

- To cater for situations where  $D$  (and hence potentially  $R$ )  $> T$

$$w_i^{n+1}(q) = B_i + (q+1)C_i + \sum_{j \in hp(i)} \left\lceil \frac{w_i^n(q)}{T_j} \right\rceil C_j$$

$$R_i(q) = w_i^n(q) - qT_i$$

- The number of releases is bounded by the lowest value of  $q$  for which the following relation is true:  $R_i(q) \leq T_i$
- The worst-case response time is then the maximum value found for each  $q$ :

$$R_i = \max_{q=0,1,2,\dots} R_i(q)$$

# Arbitrary Deadlines

- When formulation is combined with the effect of release jitter, two alterations to the above analysis must be made
- First, the interference factor must be increased if any higher priority processes suffers release jitter:

$$w_i^{n+1}(q) = B_i + (q+1)C_i + \sum_{j \in hp(i)} \left\lceil \frac{w_i^n(q) + J_j}{T_j} \right\rceil C_j$$

- The other change involves the process itself. If it can suffer release jitter then two consecutive windows could overlap if response time plus jitter is greater than period.

$$R_i(q) = w_i^n(q) - qT_i + J_i$$

# Fault Tolerance

- Fault tolerance via either forward or backward error recovery always results in extra computation
- This could be an exception handler or a recovery block.
- In a real-time fault tolerant system, deadlines should still be met even when a certain level of faults occur
- This level of fault tolerance is known as the **fault model**
- If the extra computation time that results from an error in process  $i$  is  $C_i^f$

$$R_i = C_i + B_i + \sum_{j \in \text{hep}(i)} \left\lceil \frac{R_i}{T_j} \right\rceil C_j + \max_{k \in \text{hep}(i)} C_k^f$$

- where  $\text{hep}(i)$  is set of processes with priority equal to or higher than  $i$

# Fault Tolerance

- If  $F$  is the number of faults allows

$$R_i = C_i + B_i + \sum_{j \in hp(i)} \left\lceil \frac{R_i}{T_j} \right\rceil C_j + \max_{k \in hep(i)} FC_k^f$$

- If there is a minimum arrival interval  $T_f$

$$R_i = C_i + B_i + \sum_{j \in hp(i)} \left\lceil \frac{R_i}{T_j} \right\rceil C_j + \max_{k \in hep(i)} \left( \left\lceil \frac{R_i}{T_f} \right\rceil C_k^f \right)$$



# Offsets

- So far assumed all processes share a common release time (critical instant)

Process	T	D	C	R
a	8	5	4	4
b	20	10	4	8
c	20	12	4	16

- With offsets

Process	T	D	C	O	R
a	8	5	4	0	4
b	20	10	4	0	8
c	20	12	4	10	8

Arbitrary offsets are not amenable to analysis

# Non-Optimal Analysis

---

- In most realistic systems, process periods are not arbitrary but are likely to be related to one another
- As in the example just illustrated, two processes have a common period. In these situations it is easy to give one an offset (of  $T/2$ ) and to analyse the resulting system using a transformation technique that removes the offset — and, hence, critical instant analysis applies.
- In the example, processes  $b$  and  $c$  (having the offset of 10) are replaced by a single notional process with period 10, computation time 4, deadline 10 but no offset

# Non-Optimal Analysis

- This notional process has two important properties.
  - If it is schedulable (when sharing a critical instant with all other processes) then the two real process will meet their deadlines when one is given the half period offset
  - If all lower priority processes are schedulable when suffering interference from the notional process (and all other high-priority processes) then they will remain schedulable when the notional process is replaced by the two real process (one with the offset).
- These properties follow from the observation that the notional process always uses more (or equal) CPU time than the two real process

Process	T	D	C	O	R
a	8	5	4	0	4
n	10	10	4	0	8

# Notional Process Parameters

---

$$T_n = \frac{T_a}{2} = \frac{T_b}{2}$$

$$C_n = \text{Max}(C_a, C_b)$$

$$D_n = \text{Min}(D_a, D_b)$$

$$P_n = \text{Max}(P_a, P_b)$$

Can be extended to more than two processes

# Priority Assignment

---

## Theorem

- If process  $p$  is assigned the lowest priority and is feasible then, if a feasible priority ordering exists for the complete process set, an ordering exists with process  $p$  assigned the lowest priority

```
procedure Assign_Pri (Set : in out Process_Set; N : Natural;  
                      Ok : out Boolean) is  
begin  
  for K in 1..N loop  
    for Next in K..N loop  
      Swap(Set, K, Next);  
      Process_Test(Set, K, Ok);  
      exit when Ok;  
    end loop;  
    exit when not Ok;  -- failed to find a schedulable process  
  end loop;  
end Assign_Pri;
```

# Dynamic systems and on-line analysis

---

# Dynamic Systems

---

- There are dynamic soft real-time applications in which arrival patterns and computation times are not known *a priori*
- Although some level of off-line analysis may still be applicable, this can no longer be complete and hence some form of on-line analysis is required
- The main task of an on-line scheduling scheme is to manage any overload that is likely to occur due to the dynamics of the system's environment
- EDF is a dynamic scheduling scheme that is an optimal
- During transient overloads EDF performs very badly. It is possible to get a cascade effect in which each process misses its deadline but uses sufficient resources to result in the next process also missing its deadline.

# Admission Schemes

---

- To counter this detrimental domino effect many on-line schemes have two mechanisms:
  - an admissions control module that limits the number of processes that are allowed to compete for the processors, and
  - an EDF dispatching routine for those processes that are admitted
- An ideal admissions algorithm prevents the processors getting overloaded so that the EDF routine works effectively



# Values

---

- If some processes are to be admitted, whilst others rejected, the relative importance of each process must be known
- This is usually achieved by assigning **value**
- Values can be classified
  - Static: the process always has the same value whenever it is released.
  - Dynamic: the process's value can only be computed at the time the process is released (because it is dependent on either environmental factors or the current state of the system)
  - Adaptive: here the dynamic nature of the system is such that the value of the process will change during its execution
- To assign static values requires the domain specialists to articulate their understanding of the desirable behaviour of the system

# Programming priority-based systems

---

Examples of real-time scheduling

# Programming with Priorities

---

- Ada
- POSIX
- Real-Time Java

# Ada: Real-Time Annex

- Ada 95 has a flexible model:
  - base and active priorities
  - priority ceiling locking
  - various dispatching policies using active priority
  - dynamic priorities

```
subtype Any_Priority is Integer
           range Implementation-Defined;
subtype Priority is Any_Priority range
           Any_Priority'First .. Implementation-Defined;
subtype Interrupt_Priority is Any_Priority range
           Priority'Last + 1 .. Any_Priority'Last;
Default_Priority : constant Priority :=
           (Priority'First + Priority'Last)/2;
```

- An implementation must support a range of **Priority** of at least 30 and at least one distinct **Interrupt\_Priority**

# POSIX

---

- POSIX supports priority-based scheduling, and has options to support priority inheritance and ceiling protocols
- Priorities may be set dynamically
- Within the priority-based facilities, there are four policies:
  - FIFO: a process/thread runs until it completes or it is blocked
  - Round-Robin: a process/thread runs until it completes or it is blocked or its time quantum has expired
  - Sporadic Server: a process/thread runs as a sporadic server
  - OTHER: an implementation-defined
- For each policy, there is a minimum range of priorities that must be supported; 32 for FIFO and round-robin
- The scheduling policy can be set on a per process and a per thread basis

# POSIX

---

- Threads may be created with a **system contention** option, in which case they compete with other system threads according to their policy and priority
- Alternatively, threads can be created with a **process contention option** where they must compete with other threads (created with a process contention) in the parent process
  - It is unspecified how such threads are scheduled relative to threads in other processes or to threads with global contention
- A specific implementation must decide which to support

# Sporadic Server

---

- A sporadic server assigns a limited amount of CPU capacity to handle events, has a replenishment period, a budget, and two priorities
- The server runs at a high priority when it has some budget left and a low one when its budget is exhausted
- When a server runs at the high priority, the amount of execution time it consumes is subtracted from its budget
- The amount of budget consumed is replenished at the time the server was activated plus the replenishment period
- When its budget reaches zero, the server's priority is set to the low value

# Other Facilities

---

POSIX allows:

- priority inheritance to be associated with mutexes (priority protected protocol = ICPP)
- message queues to be priority ordered
- functions for dynamically getting and setting a thread's priority
- threads to indicate whether their attributes should be inherited by any child thread they create



# RT Java Scheduling

---

- There are two entities in Real-Time Java which can be scheduled:
  - `RealtimeThreads` (and `NoHeapRealtimeThread`)
  - `AsynEventHandler` (and `BoundAsynEventHandler`)
- Objects which are to be scheduled must
  - implement the `Schedulable` interface
  - specify their
    - `SchedulingParameters`
    - `ReleaseParameters`
    - `MemoryParameters`

# Real-Time Java

---

- Real-Time Java implementations are required to support at least 28 real-time priority levels
- As with Ada and POSIX, the larger the integer value, the higher the priority
- Non real-time threads are given priority levels below the minimum real-time priority
- Note, scheduling parameters are bound to threads at thread creation time; if the parameter objects are changed, they have an immediate impact on the associated thread
- Like Ada and Real-Time POSIX, Real-Time Java supports a pre-emptive priority-based dispatching policy
- Unlike Ada and RT POSIX, RT Java does not require a preempted thread to be placed at the head of the run queue associated with its priority level

# The Schedulable Interface

---

```
public interface Schedulable extends java.lang.Runnable
{
    public void addToFeasibility();
    public void removeFromFeasibility();

    public MemoryParameters getMemoryParameters();
    public void setMemoryParameters(MemoryParameters memory);

    public ReleaseParameters getReleaseParameters();
    public void setReleaseParameters(ReleaseParameters release);

    public SchedulingParameters getSchedulingParameters();
    public void setSchedulingParameters(
        SchedulingParameters scheduling);

    public Scheduler getScheduler();
    public void setScheduler(Scheduler scheduler);
}
```

# Scheduling Parameters

---

```
public abstract class SchedulingParameters
{ public SchedulingParameters(); }

public class PriorityParameters extends SchedulingParameters
{
    public PriorityParameters(int priority);

    public int getPriority(); // at least 28 priority levels
    public void setPriority(int priority) throws
        IllegalArgumentException;
    ...
}

public class ImportanceParameters extends PriorityParameters
{
    public ImportanceParameters(int priority, int importance);
    public int getImportance();
    public void setImportance(int importance);
    ...
}
```

# RT Java: Scheduler

---

- Real-Time Java supports a high-level scheduler whose goals are:
  - to decide whether to admit new schedulable objects according to the resources available and a feasibility algorithm, and
  - to set the priority of the schedulable objects according to the priority assignment algorithm associated with the feasibility algorithm
- Hence, whilst Ada and Real-Time POSIX focus on static off-line schedulability analysis, Real-Time Java addresses more dynamic systems with the potential for on-line analysis

# The Scheduler

---

```
public abstract class Scheduler
{
    public Scheduler();
    protected abstract void addToFeasibility(Schedulable s);
    protected abstract void removeFromFeasibility(Schedulable s);

    public abstract boolean isFeasible();
    // checks the current set of schedulable objects

    public boolean changeIfFeasible(Schedulable schedulable,
        ReleaseParameters release, MemoryParameters memory);

    public static Scheduler getDefaultScheduler();
    public static void setDefaultScheduler(Scheduler scheduler);

    public abstract java.lang.String getPolicyName();
}
```

# The Scheduler

---

- The `Scheduler` is an abstract class
- The `isFeasible` method considers only the set of schedulable objects that have been added to its feasibility list (via the `addToFeasibility` and `removeFromFeasibility` methods)
- The method `changeIfFeasible` checks to see if its set of objects is still feasible if the given object has its release and memory parameters changed
- If it is, the parameters are changed
- Static methods allow the default scheduler to be queried or set
- RT Java does not require an implementation to provide an on-line feasibility algorithm

# The Priority Scheduler

```
class PriorityScheduler extends Scheduler
{
    public PriorityScheduler()

    protected void addToFeasibility(Schedulable s);
    ...

    public void fireSchedulable(Schedulable schedulable);

    public int getMaxPriority();
    public int getMinPriority();
    public int getNormPriority();

    public static PriorityScheduler instance();
    ...
}
```

Standard preemptive priority-based scheduling



# Other Facilities

---

- Priority inheritance and ICCP (called priority ceiling emulation)
- Support for aperiodic threads in the form of processing groups; a group of aperiodic threads can be linked together and assigned characteristics which aid the feasibility analysis

# Summary

---

- A **scheduling scheme** defines an algorithm for resource sharing and a means of predicting the worst-case behaviour of an application when that form of resource sharing is used.
- With a **cyclic executive**, the application code must be packed into a fixed number of minor cycles such that the cyclic execution of the sequence of minor cycles (the major cycle) will enable all system deadlines to be met
- The cyclic executive approach has major drawbacks many of which are solved by priority-based systems
- Simple **utilization-based schedulability tests** are not exact

# Summary

---

- **Response time analysis** is flexible and caters for:
  - Periodic and sporadic processes
  - Blocking caused by IPC
  - Cooperative scheduling
  - Arbitrary deadlines
  - Release jitter
  - Fault tolerance
  - Offsets
- Ada, RT POSIX and RT Java support **preemptive priority-based scheduling**
- Ada and RT POSIX focus on static off-line schedulability analysis, RT Java addresses more dynamic systems with the potential for on-line analysis